

NEW PERFORMANCE QUALITY

FOR MODELS:

B620

B650-658


710, 730

1200



- High quality bearings
- 8000 RPM
- 80 bar
- 50 Nm

Toolholder Program


B55




TOOLING@EUROTECHELITE.COM - (352) 799-5223

Description		
X-axis live tool, external coolant, ER25 or ER32		Page 2
X-axis live tool, external & internal coolant, ER25 or ER32		Page 2
X-axis live tool, external coolant, ER16 or ER22		Page 3
Double X-axis live tool, external coolant, ER20		Page 4
Double X-axis live tool, external & internal coolant, ER20		Page 4
Z-axis live tool, external coolant, ER25 H70		Page 5
Z-axis live tool, external & internal coolant, ER25 H70		Page 5
Double Z-axis live tool opposite facing, external coolant, ER25 H70		Page 6
Adjustable angle live tool, external coolant, ER16 or ER20		Page 7

FOR MODELS: B620, B650-658, 710, 730, 1200





1/B55			Codice code - code - Bestell Nr.		D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
			RAPPS 25 121UB55		55	25			94		85,5	54		63	65	94	90			50	8000	
			RAPPS 32 121UB55		55	32			94		87	54		63	65	94	90			50	8000	
																						




2/B55			Codice code - code - Bestell Nr.		D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW	
0°			RAPPS 25 131UB55		55	25			94		85,5	54		63	65	94	90			50	8000		
			RAPPS 32 131UB55		55	32			94		87	54		63	65	94	90			50	8000		
																							

FOR MODELS: B620, B650-658, 710, 730, 1200




3/B55			Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
			RAPFM 16 121UB55	55	16			94		89	54		63	65	94	90			50	8000	
			RAPFM 22 121UB55	55	22			94		91	54		63	65	94	90			50	8000	
																					

FOR MODELS: B620, B650-658, 710, 730, 1200



4/B55		
0°	 DIN 6499	 +1 (1:1)
 EXTERNAL		

Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
RAPPTY 20 121UB55/50	55	20			94		78			63	65	100	90			20	6000	




5/B55		
0°	 DIN 6499	 +1 (1:1)
 INT./EXT.	 80 bar	 Filtration 30µm

Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
RAPPTY 20 131UB55/50	55	20			94		78			63	65	100	90			20	6000	

TOOLING@EUROTECHELITE.COM - (352) 799-5223


FOR MODELS: B620, B650-658, 710, 730, 1200



6/B55		
90°		
	DIN 6499	+1 (1:1)
		

Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
RRPPS 25 321UB55	55	25	70	135	94		88,5	53,5		63	65	84	90			50	8000	

6




7/B55		
90°		
	DIN 6499	+1 (1:1)
		
	80 bar	Filtration 30µm

Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
RRPPS 25 331UB55	55	25	70	135	94		88,5	58		63	65	84	90				8000	

TOOLING@EUROTECHELITE.COM - (352) 799-5223





FOR MODELS: B620, B650-658, 710, 730, 1200





11/B55			Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
90°			RRPPT 25 321UB55	55	25	70	135	94		77,5	77,5		63	65	90	84			50	8000	
																				000	
																					
			EXTERNAL																		

TOOLING@EUROTECHELITE.COM - (352) 799-5223

FOR MODELS: B620, B650-658, 710, 730, 1200



Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
ROPPS 16 121UB55	55	16	55	30	94		57,5			63	63	81	90		45	15	8000	
ROPPS 20 121UB55	55	20	55	30	94		59			63	63	81	90		45	15	8000	



Codice code - code - Bestell Nr.	D	ER	H	H1	H2	H3	L (min-max)	L1	L2	A	B	A1	B1	A2	B2	M ₂ Nm	n ₂ min-1	P kW
ROPPS 16 131UB55	55	16	55	30	94		57,5			63	63	81	90		45	15	8000	
ROPPS 20 131UB55	55	20	55	30	94		59			63	63	81	90		45	15	8000	

TOOLING@EUROTECHELITE.COM - (352) 799-5223